

Compatible combination for

● 30 days at room temperature
 ● 60 days at room temperature
 ● 90 days at room temperature
 ○ Combination not studied
 ❄ Requires storage at 2-8 °C
 ✓ Compatibility studies performed

API/DCI	Common concentration(s) (w/v)	TrichoSol™	TrichoFoam™	TrichoCream™	TrichoWash™	TrichoCond™	TrichoSerum™	TrichoOil™
17α-estradiol	0.025% - 0.05%	●	●	●	○	○	○	○
Adenosine	0.5% - 0.75%	●	○	○	●	○	○	○
Arginine HCl	0.5% - 2%	○	○	○	●	●	●	○
Betamethasone dipropionate	0.025% - 0.05%	●	●	●	○	○	○	○
Betamethasone valerate	0.1%	●	●	○	○	○	○	○
Biotin	0.1% - 2%	●	○	○	●	●	●	○
Caffeine	1% - 2%	●	●	○	●	○	○	○
CafeiSome™	1% - 5%	●	●	○	●	○	○	○
Cetirizine HCl	1% - 2%	●	●	○	○	○	○	○
Ciclopirox olamine	1.5%	○	○	○	●	○	○	○
Clobetasol propionate	0.05%	●	●	●	○	○	○	○
Clotrimazole	1%	○	○	○	●	○	○	●
Coal tar	1% - 1.5%	○	○	○	●	○	○	○
Cyproterone acetate	0.5% - 1%	●	●	○	○	○	○	○
Desonide	0.25% - 0.05%	●	●	●	○	○	○	○
D-Panthenol	0.25% - 0.75%	○	●	●	○	○	○	○
	0.5% - 5%	○	○	○	●	●	●	○
Dutasteride	0.25%	●	●	○	○	○	○	○
Erythromycin	0.5% - 4%	○	○	○	●	○	○	●
Estrone	0.01% - 0.05%	●	○	○	○	○	○	○
Fluocinolone acetonide	0.01%	●	●	●	●	○	○	●
Finasteride	0.1% - 0.25%	● ✓	● ✓	○	○	○	○	○
	0.5% - 1%	○	○	●	○	○	○	○
Ginkgo biloba	1.5% - 3%	●	●	●	●	●	●	●
Ginseng	1.5% - 3%	●	●	●	●	●	●	●
Hydrocortisone	1%	○	○	●	○	○	○	○
Hydrocortisone acetate	0.5% - 1%	●	○	○	○	○	○	○
Hydrocortisone butyrate	0.1%	●	●	○	○	○	○	○
IGrantineF1™	0.1% - 5%	●	●	●	○	○	○	○
Ketoconazole	2%	●	●	○	●	○	○	○
Latanoprost	0.005%	● ✓ ❄	● ✓ ❄	● ❄	○	○	○	○
L-carnitin L-tartrate	0.5% - 2%	●	●	○	●	○	○	○
Melatonin	0.0033% - 0.1%	●	●	○	○	○	○	○
Metronidazole	0.75%	○	○	●	○	○	○	○
Minoxidil	2% - 5%	● ✓	● ✓	●	○	●	○	○
Minoxidil and 17-α Estradiol	5% / 0.05%	●	○	○	○	○	○	○
Minoxidil and Betamethasone valerate	5% / 0.1%	●	○	○	○	○	○	○
Minoxidil and Clobetasol propionate	5% / 0.05%	●	○	○	○	○	○	○
Minoxidil and Dutasteride	5% / 0.1%	●	●	○	○	○	○	○
Minoxidil and Finasteride	5% / 0.1%	●	●	○	○	○	○	○
Minoxidil and Hydrocortisone butyrate	5% / 0.1%	●	○	○	○	○	○	○
Minoxidil and Latanoprost	5% / 0.005%	●	●	○	○	○	○	○
Minoxidil and Tretinoin	7.5% / 0.05%	○	○	●	○	○	○	○
Nicotinamide (vit. B3)	0.25% - 0.5%	○	○	○	●	●	●	○
Prednicarbate	0.05% - 0.1%	○	○	○	○	○	○	●
Progesterone	0.5% - 1%	●	○	○	○	○	○	○
Prostaquinon™	1.5% - 3%	●	●	●	○	○	○	● ✓
Pyridoxine HCl (vit. B6)	0.5%	○	○	○	●	●	●	○

TrichoConcept™

Compatibility table

Compatible combination for

● 30 days at room temperature

● 60 days at room temperature

● 90 days at room temperature

○ Combination not studied

❄ Requires storage at 2-8 °C

✓ Compatibility studies performed

API/DCI	Common concentration(s) (w/v)	TrichoSol™	TrichoFoam™	TrichoCream™	TrichoWash™	TrichoCond™	TrichoSerum™	TrichoOil™
Retinol palmitate (vit. A)	0.5% - 1%	○	○	○	●	●	●	●
Salicylic Acid	2% - 6%	○	○	●	●	●	○	●
Saw palmetto (dry extract)	1% - 2%	●	●	○	○	○	○	○
Saw palmetto (lipid extract)	1% - 2%	○	○	●	●	●	●	●
SiliciuMax™	5% - 10%	●	●	●	●	●	●	○
Spironolactone	5%	●	○	○	○	○	○	○
Tacrolimus	0.1%	●	○	○	○	○	○	●
Tocopherol acetate (vit. E)	1% - 2%	○	○	○	●	●	●	●
TrichoFactor™	2.5%	●	●	○	○	○	○	○
Tretinoin	0.01% - 1%	●	●	○	○	○	○	○
Triamcinolone acetonide	0.05% - 0.1%	●	○	○	○	○	○	○
Urea	5% - 10%	○	○	○	●	○	○	●
VEGF TrichoFactor™	2.5%	●	●	○	○	○	○	○
Zinc pyrithione	2%	○	○	○	●	○	○	○

Fagron TrichoConcept™

The TrichoConcept™ compatibility table shows an overview of compatible APIs and DCIs in the broad range of compounding vehicles. The compatibility has been assessed based upon stability studies and stability tests. Tests were performed by evaluation of physical factors like organoleptic characteristics, pH, color change, homogeneity, phase separation, odor, viscosity, drug settling, foam capacity and skin feel. The beyond-use date has been assessed combining this information with available literature regarding the chemical stability.


Disclaimer: While a great deal of effort has been spent to ensure the accuracy of the dosages and formulations contained herein, no claims are made as to the uses, safety, efficacy or bioavailability of these recommendations. The content of this table cannot be construed as being a (medical) advice, recommendation or opinion. Medical professionals, doctors and compounding pharmacists using this information are advised to do so solely if appropriate in their own professional opinion and judgement. Fagron does not accept and cannot be held responsible or liable in any case for the formulation or information contained herein.



TrichoConcept™ compounding instructions

Compounding with TrichoConcept™ is simple and easy. In this flowchart you can find the compounding steps for the most common formulations prescribed in TrichoConcept™ vehicles.

Compounding steps for most common TrichoSol™ and TrichoFoam™ formulations



For TrichoCream™, TrichoWash™, TrichoCond™ or TrichoSerum™ formulations

